

GPS CHARTPLOTTER COMPATIBILITY GUIDE AMERICAS PAGE 1 / 4

Starting from 2013, our products are provided on 2 GB or larger memory cards. Always make sure your GPS chartplotter is compatible. Some GPS chartplotters may be compatible with 2 GB memory cards but may still have difficulty with large file sizes.

		Format	NAVIONICS +	NAVIONICS +	Platinum :+	ADVANCED FEATURES					
			NAVIONICS Updates	Regions NAVIONICS Updates	HotMaps	Dock- to-dock	SonarChart™ Live	IVIAP	Plotte Sync		
	Model		Blank (Downloadable)	Preloaded	Preloaded	Autorouting	-11/1	Options	3,		
ACTIA®	Actia	MSD	⊗	⊗							
B&G ¹	Zeus ³ 7, 9, 12, 16; Vulcan 5, 7, 9, 12	SD/MSD	⊗ ⊜ 🕾	❸ ❷ ❸	⊗ ⊜ 🕾	√	PW	√	✓		
	Zeus² 7, 9, 12	SD/MSD	❸ ❷ ❸	⊗ ⊗ ⊗	⊕ ⊜ ⊕	√	966	√			
	Zeus Touch 7, 8, 12; Zeus 8, 12	SD/MSD	⊗ ⊜ 🕾	⊗ ⊜ 🌣	⊗ ⊜ 🕾		GS				
OELORME	Earthmate PN-60, PN-40, PN-30	MSD	⊗	⊗			6				
Yaria —	Maestro Mach-7	CF/MSD	⊕	⊕			6				
jeonav	G12; G10	SD/MSD	⊗	⊗	⊗		6				
HUMMINBIRD. ¹	ONIX 8ci Combo, 8ci SI Combo, 10ci Combo, 10ci SI Combo; ION 10, 12	MSD	⊗ ⊜ ⇔	⊗ ⊜ 🕾	⊗ ⊜ 🕾		6				
	SOLIX 10, SI; SOLIX 12, SI; SOLIX 15, SI HELIX 12 CHIRP MEGA SI GPS G2N, CHIRP GPS G2N, CHIRP DI GPS G2N, CHIRP SI GPS G2N, CHIRP SI GPS, CHIRP SI GPS KVD, CHIRP DI GPS, CHIRP GPS HELIX 10 CHIRP MEGA SI GPS G2N, CHIRP GPS G2N, CHIRP DI GPS G2N, CHIRP SI GPS G2N, SI GPS KVD, SI		❸ ⊜								
	GPS, DI GPS, SONAR GPS HELIX 9 CHIRP MEGA SI GPS G2N, CHIRP GPS G2N, CHIRP DI GPS G2N, CHIRP SI GPS G2N, SI GPS KVD, SI GPS, DI GPS, SONAR GPS HELIX 7 CHIRP GPS G2, CHIRP GPS G2N, CHIRP DI GPS	MSD		(♣) (♣)	❸ ❷		S				
	G2, CHIRP DI GPS G2N, CHIRP SI GPS G2, CHIRP SI GPS G2N HELIX 5 CHIRP GPS G2, CHIRP GPS G2 PT, CHIRP DI GPS G2, CHIRP SI GPS G2										
	1199CI HD SI, 1199CI HD SI KVD, 1198c SI, 1197, 1159CI HD, 1159CI HD XD, 1159CI HD DI, 1158c, 1158c DI, 1157, 1155 999CI HD SI, 999CI HD SI KVD, 998c HD SI, 998c SI, 998,										
	997, 967, 959CI HD, 959CI HD XD, 959CI HD DI, 958c HD, 958c HD DI, 958, 957, 955, 947, 937, 917 899CI HD SI, 899CI HD SI NAV, 899CXI HD SI, 898c HD SI, 859CI HD, 859CI HD XD, 859CI HD DI, 858c HD, 858c HD DI, 858;	SD/MSD			⊗ ⊝		S				
	987, 798ci HD SI, 798, 797, 788ci HD, 788ci HD DI, 788ci HD Combo CHO, 787, 786, 785, 767, 757, 755, 737, 698CI HD SI, 698CI HD SI KVD, 688CI HD, 688CI HD DI, 688CI HD XD, 688 ci HD DI KVD NAV; 598ci HD SI, 597ci HD, 597ci HD DI, 597, 587ci HD, 587;	SD/MSD	⊗ ⊜	⊗ ⊜			6				
	HELIX 5 DI GPS, XD GPS, SONAR GPS, GPS, SI GPS, SI GPS KVD	MSD	⊗ ⊜	⊗ ⊜			S				
	HELIX 7 SI GPS, SI GPS KVD, DI GPS, SONAR GPS, GPS, X GPS 595c	SD/MSD	⊗	⊗			S				















GPS CHARTPLOTTER COMPATIBILITY GUIDE AMERICAS PAGE 2 / 4

Starting from 2013, our products are provided on 2 GB or larger memory cards. Always make sure your GPS chartplotter is compatible. Some GPS chartplotters may be compatible with 2 GB memory cards but may still have difficulty with large file sizes.

	Model	N		NAVIONICS +		NAVIONICS +		Platinum.+		Ĩ+	ADVANCED FEATURES					
			NAVIONICS Updates Blank		tes	NAVIONICS Updates		HotMaps			Dock- to-dock Autorouting	SonarChart™ Live	Advanced Map Options	Plotter Sync		
		Format	(Dow	nload	lable)	Pi	eload	led	Pi	reloade	d	Autorouting		Options		
LOWRANCE	HDS Gen3 7, 9, 12; HDS Carbon 7, 9, 12, 16	SD/MSD	(8)	8	(2)	⊗	9	(2)	(8)		(*)	✓	PW	✓	\checkmark	
	Elite Ti 5, 7, 9, 12	SD/MSD	8	9	8		8	(2)	(8)	9	(2)	√	PW	√	√	
	HDS Gen2 Touch 7, 7m, 9, 9m, 12, 12m; HDS Gen2 5, 5m, 7, 7m, 8, 8m, 10, 10m	SD/MSD	₩	9	(2)	⊗	8	(2)	(8)	9	(2)		6 9			
	HDS Gen1 5, 5m, 7, 7m, 8, 8m, 10, 10m	SD/MSD	8	9	8	⊗	8	(2)	(8)		(2)		S			
	Hook ² Combo 5, 7, 9, 12	SD/MSD	(8)	8	(2)	®	9	@					P	√		
	Elite 4 HDI, 5 HDI, 7 HDI, 4 CHIRP, 5 CHIRP, 7 CHIRP, 9 CHIRP; Mark 4 HDI, 4 CHIRP; Hook 4, 5, 7, 9	SD/MSD ²	₿	8	(2)	⊗	8	@					6			
	Elite 7 Broadband, 7M Gold	SD/MSD	8	8			9						6			
MAGELLAN	eXplorist 510,610,710	SD/MSD	8			(8)							6			
MarCum TECHNOLOGIES	RT-9	MSD		8	(2)	®	8	(2)	(8)	8	6		S			
MEDALLION NETRUMENTATION SYSTEMS	Viper 2	MSD	(8)			●										
Raymarine	e-Series 7, 7D, 95, 97, 125, 127, 165 c-Series 95, 97, 125, 127 a-Series 6, 7, 9, 12, 65, 67, 68, 75, 77, 78, 95, 97, 98, 125, 127, 128	MSD	●	8	8	₩		6	⊗	8	8	√	PS	✓	√	
	eS-Series 7, 9, 12, 75, 77, 78, 97, 98, 127, 128 gS-Series 95, 125, 165, 195	MSD	⊗	8	(2)	働	8	@	∰⁵	8	8	√	96	1	✓	
	Axiom PRO 9, 12, 16; Axiom 7, 9, 12	MSD	8	9	(2)	⊗	9	(2)	⊕ 3		(*)	✓	PS	✓	✓	
	Dragonfly 4 PRO, 5 PRO, 7 PRO	MSD	(8)	8	(2)		8	(2)					W		✓	
	Dragonfly 5 M, 6, 7	MSD	(8)	9	(2)	(8)	8	(2)								
	G-Series G120, G150, G170, G190, GPM400 E-Series Widescreen E140W, E120W, E90W C-Series Widescreen C140W, C120W, C90W A-Series 70, 70D, 57, 57D, 50, 50D	CF	⊗	8		ቇ	8			8			6			
SAMYUNG ENC	NAVIS 2500, 2600, 3000, 3100, 3700, 3800, 5100, 700, 800; N/NF 100, 120, 3800, 430, 5100, 560, 700, 800	SD/MSD	(8)		@	働		(2)					6			
	AIS 50N	SD/MSD	(8)													
SIMRAD 1	NSS evo3 7, 9, 12, 16; GO XSE 5, 7, 9; GO 7, 9, 12	SD/MSD	⊗	8	(2)	®	8	(2)	(8)	8	8	√	PW	√	√	
	NSS evo2 7, 9, 12, 16, 7m, 9m	SD/MSD	(8)	8	(2)	(8)	9	(*)	(8)	9	(2)	/	966	√		
Processor supporting external monitor	NSO evo2	SD/MSD	(8)	9	(2)	(8)	9	(2)	(8)	9	(2)	/	966	√		
(size range: 15 - 24 depending on buyers' choice)	NSO ; NSE 8, 12; NSS 7, 8, 12	SD/MSD	®	9	(2)	⊗	9	(2)	(8)		(3)		9			
SI-TEXX 1	SAS-300, SVS-460, SVS-460 4, SVS-560, SVS-560 5, SVS-750, SVS-760, SVS-760 7, SVS-880, SVS-1010	SD/MSD	®	8	(2)	®	8	(2)					6			















¹ Use SonarChart™ Live on mobile to automatically share sonar logs with Navionics.

- 2 Latest firmware release is required to run memory cards over 2 GB.
- **3** Of the Platinum features, Satellite Overlay, Panoramic Photos and Pilot Books are compatible.



GPS CHARTPLOTTER COMPATIBILITY GUIDE AMERICAS PAGE 3 / 4

Starting from 2013, our products are provided on 2 GB or larger memory cards. Always make sure your GPS chartplotter is compatible. Some GPS chartplotters may be compatible with 2 GB memory cards but may still have difficulty with large file sizes.

GPS CHARTPLOTTERS WITH LIMITED CHART SIZE CAPABILITY

			NAVIONICS + NAVIONICS Updates	Platinum +	ADVANCED FEATURES
	Model	Format	Blank (Downloadable)	Preloaded	SonarChart™ Live
() FURUNO	NavNet VX2	SD/MSD	⊕		S
HUMMINBIRD.	768, 581i, 581, 580i, 580, 398ci SI, 386ci, 386ci DI, 385ci, 385ci DI, 365i, 365	SD/MSD	⊗ ⊜		S
LOWRANCE	Elite 4, 4DS, 4m, 4m HD, 5, 5 DSI, 5m, 5m HD; Mark 4 (MicroSD only); LMS 527c df iGPS, 525c df, 522c IceMachine, 522c iGPS, 520c; LCX 113c HD, 112c, 37c, 28c HD, 27c; GlobalMap 9300, 9200, 8300, 8200, 7300, 7200, 5300, 5200, 5150	SD/MSD	⊗		9
MEDALLION	Viper 1	MSD	⊗		
MURPHY	HelmView HV1000i, HV700T, HV700, HV450	SD/MSD	⊗		S
NORTHSTAR ×	6100i (requires S/W update 7.76); 6000i	CF	❸		6
Raymarine	E-Series E120, E80	CF	❸ ❷	⊗ ⊜	S
	C-Series C120; C80; C70	CF	❷ ❷		S
	Raychart 400, 435, 435i	CF	③		S











GPS CHARTPLOTTER COMPATIBILITY GUIDE AMERICAS PAGE 4 / 4

NAVIONICS ADVANCED FEATURES

Available when using a card that has an active daily chart updates subscription (included for one year if registered within two months of purchase). Also make sure your plotter has an updated software version installed.

Dock-to-dock Autorouting, a unique breakthrough in boating navigation, quickly creates detailed routes from a real start point to a real end point, even through narrow passages and channels, based on chart data and navigation aids.

SonarChart Live allows you to create new personal 1 ft HD bathymetry maps that display in real time on your plotter or mobile device screen while navigating. The new chart resides on your device for private use. Possible methods:

- P Use your plotter with a sonar to enable SonarChart™ Live and see it directly on the display.
- Use **built-in Wi-Fi** to connect your plotter/sonar to Navionics Boating app to enable SonarChart™ Live on your mobile. Depth data collected can also be sent automatically to Navionics to enhance SonarChart™.
- G Use **GoFree WIFI-1 Module** to connect your plotter/sonar to Navionics Boating app to enable SonarChart™ Live on your mobile. Depth data collected can also be sent automatically to Navionics to enhance SonarChart™.
- Use **Sonar Server by Digital Yacht** to connect your plotter/sonar to Navionics Boating app to enable SonarChart™ Live on your mobile. Depth data collected can also be sent automatically to Navionics to enhance SonarChart™.

Advanced Map Options gives customized views of Navionics charts to highlight shallow areas, target a fishing range and adjust SonarChart™ contour density.

Plotter Sync connects plotter and mobile wirelessly and allows you to transfer routes and markers. You can also update charts and activate or renew the subscription of your eligible plotter card. With Raymarine models, it is also possible to upload sonar logs to enhance SonarChart™.

	NAVIONICS + NAVIONICS Updates			N	AVIONICS AVIONICS Region: AVIONICS Update	+	Platinum+ HotMaps		
PC APPLICATION	(Do	Blank wnloadal	ole)	Preloaded			Preloaded		
TMQ C-plot Nav+	⊗	8	@	₩		8		Platinum+ con	
Raymarine Voyage Planner, Lowrance Insight Planner, Simrad Insight Planner, B&G Insight Planner	⊗	8		⊗	8		⊗	9	
Digital Yacht's Smartertrack, Navigation Planner, PC Plotter, P-Sea	●			⊗			®	Limited Plai compatibili with manu	ity. Check











