



Interior Arrangement



General Boat Arrangements



H33 Dimensions, Capacities, Etc.

HULL LENGTH	33' 01"	10.08 m
LENGTH OVERALL (INCLUDES BOW ROLLER)	33' 06"	10.21m
LENGTH OF WATERLINE (LWL)	29' 05"	8.97 m
BEAM (MAX)(without rubrail)	11' 02"	3.40 m
BEAM (MAX)(with rubrail)	11' 06"	3.51 m
DRAFT		
* SHOAL	4' 06"	1.37 m.
* DEEP	5' 06"	1.67 m.
DISPLACEMENT	11,016lbs	4997kg
BALLAST (LEAD KEEL)		
* SHOAL	3579 lbs.	1623 kg.
* DEEP	3459 lbs.	1569 kg.
MAST HEIGHT (FROM WATERLINE)		
* STANDARD	46' 6 3/4"	14.19m
* FURLING	51' 11"	15.80m
SAIL AREA (ACTUAL)		
* STANDARD	625 sq. ft.	52.06 sq. m.
* FURLING	542 sq. ft.	50.35 sq. m.
SA/DISP	20.99/standard actual	18.20/furling actual
DISPLACEMENT LENGTH	ratio 181	
I	37' 5"	11.41m
J	10' 10"	3.30m
P		
* STANDARD	36' 5 1/2"	11.11m
* FURLING	40' 11 3/4"	12.49m
E		
* STANDARD	13' 10"	4.22m
* FURLING	14' 7"	4.45m
STANDARD CABIN	Sleeps 6	
HEADROOM		
STANDARD DECK	6' 4"	1.93 m
FUEL TANK CAPACITY	25 US gal.	95 liters
WATER CAPACITY	50 US gal.	189 liters
WATER HEATER	6 US gal.	23 liters
HOLDING TANK CAPACITY	25 US gal.	95 liters
LPG TANK CAPACITY(OPT.)	2 x 4 lbs.	2 x 1.8 kg.
BATTERY CAPACITY(BASE BOAT)	80 amps (110 amps optional)	
INBOARD ENGINE		
* STANDARD	22 hp.	16.2 kw.
* OPTION	30 hp.	22.1 kw.
LIFTING POINTS	INDICATED BY "SLING" LABELS ON HULL	